





There, i.e., the follows—that a two states — if it is to promet at a partial of all layers for some factors of more more markets. However, 1986.

The markets of the following of the markets are leader. Lot complete (MI), No. 19, 1987.












GLEBOV, L. V.
27754

Raschet Induktivnosti Vtorichnogo Kontura Kontaktnykh Mashin. Avtogen. Delo, 1949,
No 9, s. 6-9

SO: Letopis' Zhurnal'nykh Statey, Vol. 37, 1949









"APPROVED FOR RELEASE: 09/24/2001

CIA-RDP86-00513R000500020017-6



"APPROVED FOR RELEASE: 09/24/2001 CIA-RDP86-00513R000500020017-6



PHASE I BOOK EXPLOPRATION

539

Nekrasov, B. M., Glebov, L. V., Engineers

Tekhnologiya tochechnoy svarki peresekayushchikhsya sterzhney armaturnoy stali (Technology of Spot Welding Intersecting Steel Reinforcing Rods) Leningrad, 1955. 15 p. (Series: Leningradskiy dom nauchno-tekhnicheskoy propagandy. Information-tekhnicheskiy listok, no. 72 /760/) 7,000 copies printed.

Ed.: Ryzhik, Z. M.; Tech. Ed.: Freger, D. P.

PURPOSE: This booklet is designed to give information on the joining of meshed concrete reinforcement rods by spot welding, as practiced in the USSR.

COVERAGE: The authors explain the advantages of the new method of welding and give basic data on its application. They point out that extensive industrialization of fabricating steel reinforcements in the USSR has been made possible solely through the use of spot welding for joining together the reinforcement structures. The old method of using tie wire, it is stated, has proved too time-consuming and has been replaced by the more efficient spot-welding method. During 1955 and 1956, according to the authors, 402 plants and 200 yards for the manufacture of prefabricated reinforced concrete members were scheduled to be put into operation. Card 1/2

Technology of Spot (Cont.)		539	
TABLE OF CONTENTS:			**************************************
Special Features of Spot Welding Intersecting Steel Rod		2	
Technology of the Resistance Welding of Cross Joints		<u>.</u>	
Selection of Operating Conditions		9	
Conclusion		16	
Bibliography		16	
WATLABLE: Libra	y of Congress	2.0	
Card 2/2	GO/eag		
	9/25/58		
			: a
			. 7

Sub.fect AID P - 5245 : USSR/Engineering

Card 1/1 Pub. 107-a - 5/9

Authors : Glebov, L. V., Eng. and I. M. Radashkovich, Eng. (VNIIESO) (the "Electrician" Plant)

Title : About the "Use of the MTP and MShP resistance welding

machines for welding of low melting alloys", by D. S. Balkovets, Kand. of Tech. Sci. and P. L. Chuloshnikov,

Periodical : Svar. proizv., 8, 21-25, Ag 1956


Abstract : The article above was published in this magazine


(No. 12, 1955). Severely criticizing the article by Balkovets and Chuloshnikov, the authors present a list of several special spot-welding machines for welding lowmelting alloys. One photo, 1 drawing and an oscillogram.

Institution: All-Union Scientific Research Institute of Electric Weld-

ing Equipment (VNIIESO).

Submitted No date





Translation from: Referativnvy zhurnal Metallurgiva, 1958 Nr 12 p 96 (USSR) SOV .37-58-12-24661

AUTHORS: Glebov L. V., Korkin, Yu. G

TITLE: Multiple-electrode Machines for Contact Spot Welding (Mnogoelektrodnyve mashiny dlya kontaktnov tochechnov svark .

PERIODICAL: Tekhnol avtomobilestroveniva 1958 Ni d inno 4

ABSTRACT: A description of the advantages and drawbacks of multiple-electrode. single-transformer (T) spot-welding machines (M) employing the method of consecutive or simultineous squeezing of the article by the electrodes (E) - It is noted that M is equipped with multiple T is possessing 1-4 secondary windings supplying our tent to 2-8 E is respectively have recently gained ever-increasing acceptance in the automobile industry A brief summary of technical specifications is given together with a description of the design of a German multiple-T welding press as well as French multiple-E M s tfor weiding of automobile doors side panels chassis floor panels and radiator components) The M s manufactured by the French firms utilize the principle of multiple T s in conjunction with consecutive squeezing of

Card 1/2 the part by the E s This approach ensures the necessary

Multiple-electrode Machines for Contact Spot Welding

SOV /157-58-12-24661

productivity, reduces the number of welding T s, and simplifies the control systems. A curve is given showing the welding current, supplied to one E only, as a function of the distance between the E's. In the case of 1.5 mm thick steel it is inadvisable to reduce the spacing between spot welds to a distance less than 40 mm. Compared with single-spot, two-sided welding, the forces acting on the E s during one-sided welding are taken to be 15-20% smaller; the welding current and the current impulse time are increased by 10 and 20-25%, respectively. The following outline of welding schedules employed in Franch plants is presented. Minimum thackness of sheet metal: 0.5, 1.5, and 2 mm; maximum E diameter 5.0, 6.5 n 5 (sic!), and 8 mm; diameter of the spot weld: 4.5, 6.6 (sic!), 7.5 mm; the force acting on the E's during single-spot welding: 140, 230, 365, and 500 kg; the force acting on the

A K

Card 2/2

* 1

AUTHOR:

Glebov, L.V., Engineer

135-58-6-3/19

TITLE:

The Present State and the Prospects for Production of Welding Equipment at the Plant "Elektrik" from 1959-1965 (Sostoyaniye i perspektivy proizvodstva svarochnogo oborudevaniya na zavode "Elektrik" v 1959 1965 gg.)

PERIODICAL:

Svarochnoye Proizvodstvo, 1958. Nr 6, IP 7 - 10 (USSR)

ABSTRACT:

"elding machines being produced by the "Elektrik" plant are called by the trade names (type "MRF", "ATP", butt welding machines "MSMU-150" etc.), The characteristic features of these machines are given (Table 1). Mentioned along with more details and photographs are the following machines: "MTPG-2x50/2500" for double-spot welding of stainless steel parts of up to 2+2 mm thickness, with 2,500 mm working length (Figure 1); "MTPR-500/3,100", also for appt welding stainless steel (Figure 2); roller welder "MShP-500/3,000", for cross welds on stainless steel (Figure 3); roller welder "MShPL. 50/1", for steel band ends (Figure 4); roller welder "MShPL-100/1000, for lap joints of low-carbon steel strip ends (Figure 5); "MSO-750", for flash welding of wheel rims (Figure 6); "MTMB-12x75", for spot welding low-carbon steel sheet

Card 1/3

135-58-6-3/19

The Present State and the Prospects for the Production of "elding Equipment at the Plant "Elektrik" from 1959-1965

structures (Figure 7). It is planned to design standard components for contact welding machines. The plant "Elektrik" will specialize in the manufacture of welding equipment, and primarily in contact welding machines, both automatic and semi-automatic, the production of which has to be trebled by 1965. The production of equipment for inert-gas-shielded arc welding has to be increased ll times (Table 2). The plant will cooperate with VNIIESO. Thus far, the auxiliary equipment of machines like pneumatic and hydraulic valves, lubricators, gear drives, etc., are also being produced by the plant, which interferes with the production of new improved designs It is stressed that such equipment must be produced in cooperation with other plants. It is also necessary to organize production of better electrode materials and to improve the quality of ignitions, relays, radiotechnical parts, etc. The importance of a closer contact of the plant with consumers and research institutes is being emphasized. There are 7 photographs and 2 tables.

Card 2/3

The Fresent State and the Prospects for the Production of Welding Equipment at the Plant "Elektrik" from 1959-1965

ASSOCIATION: Plant "Elektrik"

AVAILABLE: Library of Congress

First 5/3

Glebor, L.V., Engineer AUTHOR:

110-58-6-8/22

TTTLE:

PERIODICAL:

Determination of the Secondary Voltage of Transformers of Contact-welding Machines (Opredeleniye vtorichnogo napryazh-

enija transformatorov mashin kontaktnog svarki)

Gr 5 Vestnik Elektopromyshlennosti, 1958, pp 29 - 31 (USSR)

The principal difficulty in designing sample phase transformers for contact-welding machines is to determine the ABSTRACT: Lecondary voltage necessary to produce the required arrest when the machine is of an unfamiliar type. All the legethere " Lulations are intric to and empirical use must be made of data accumulated for existing machines. A list is given of such test data and the problem is then to find the voltage required to produce a given short-circuit carrent round the new contour. An expression is written for the total impedence of the new machine circuit, with appropriate vector diagram (Figure 1).

The method can be used to derive design formulae for new machines and particular examples are given. To limplify calculations of the secondary voltage of new lockines, a proximate curves of the relationship between secondary voltage and

Cardl/2 short-circuit current are given in Figure 4, for welding circuits

Determination of the Secondary Voltage of Transformers of Contact-welding Machines

of various dimensions. The method of using the curves and finding the required secondary voltage is briefly described. Calculated and experimental results for different types of machine are compared in a table. The error in calculating the secondary voltage is not more than 7%. The curves are drawn for mean values of current density common in industrial practice. There are 4 figures, 1 table and 1 Soviet reference.

ASSOCIATION:

VNIIESO

1. Transformers-Design

Card 2/2

VLaDIMIRSKIY, T.A., doktor tekhn.nauk; VROBLEVSKIY, R.V., inzh.; GLEBOV, L.V., inzh.; GODIN, V.M., kand.tekhr.nauk; GUZOV, S.G., inzh.; GULYAYEV, A.I., inzh.; YERSHOV, L.E., inzh.; KOCHAHOVSKIY, N.Ya., kand.tekhn.nauk; LYUBAVSKIY, K.V., prof., doktor tekhn. nauk; PATON, B. Ye., akademik, prof., doktor tekhn. nauk; RABINOVICH, I.Ya., kand.tokin.nauk; RADASHKOVICH, I.M., inzh.; RYKALIN, N.N., prof., doktor tekhn.neuk; SPEKTOR, O.Sh., inzh.; KHREMOV, K.K., akademik, prof., doktor tekhn.nsuk; CHERNYAK, V.S., inzh.; CHULOSHNIKOV, P.L., inzh.; SHORSHOROV, M.Kh., kand.tekhn.nauk; BRATKOVA, O.H., prof., doktor tekhn.nauk, nauchnyy red.; ERINBERG, I.L., kand.tekhn.nauk, nauchnyy red.; GEL MAN, A.S., prof., doktor tekhn.nauk, nauchnyy red.; KOMDRATOVICH, V.M., inzh., nauchnyy red.; KRASOVSKIY, A.I., kand.tekha.nauk, nauchnyy red.; SKAKUN. O.F. .. kand. tekhn. nauk, nauchnyy red.; SOKOLOV, Ye.V., inzh., red.; IVANOVA, E.N., inzh., red.izd-va; SOKOLOVA, T.F., tekhn.red.

> [Welding handbook] Spravechnik po svarke. Moskva, Gos.nauchnotekhn.izd-vc mashinostroit.lit-ry. Vol.1. 1960. 556 p. (MIRA 14:1)

1. AN USSR (for Paton, Khrenov). 2. Chleagekorvespondenty AN SSSR (for Rykalin, Khrenov).

(Welding-Handbooks, manuals, etc.)

88312 \$/110/60/000/006/002/007 £194/E455

1.5400

AUTHOR:

Glebov, L.V., Engineer

TITLE:

Prospects of Producing Electric Welding Equipment at

the "Elektrik" Works

PERIODICAL: Vestnik elektropromyshlennosti, 1960, No.6, pp.11-13

TEXT: The "Elektrik" Works takes the lead in the manufacture of electric welding equipment and its production mainly determines the level of welding technique in the Soviet Union. In 1955, it was decided to specialize the "Elektrik" Works on the manufacture of large electric welding equipment and the works has now developed and got into production almost all types of equipment for resistance and arc welding. The main types of equipment produced are then enumerated as follows. Series of machines type MTN (MTP) for spot-welding consisting of machines with output ranging from 75 to 400 kVA for spot-welding parts ranging from 0.5 to 8 mm thick. Series of machines type MPN (MRP) with outputs ranging from 150 to 600 kVA for relief welding of low-Card 1/4

88312 \$/110/60/000/006/002/007 £194/F455

Prospects of Producing Electric Welding Equipment at the "Elektrik" Works

A series of machines carbon steel parts from 0.5 to 6 mm thick. type MIII (MShP) with outputs ranging from 100 to 200 k/A for resistance seam welding of low-carbon steel parts 0.5 to 2 mm thick. A series of machines type MCFA(MSGA) of 300 and 500 kVA for resistance butt-welding of low-carbon steel with sections from A series of 5 automatic and semi-automatic 800 to 8000 mm2. machines for submerged-arc welding of low-carbon steel parts A series of automatic and semi-automatic 3 to 20 mm thick. machines for welding in protective atmospheres parts made of stainless steel and other materials in the thickness range 2 to 20 mm; also equipment for hand-welding of aluminium alloys in an argon atmosphere in thicknesses of 1 to 15 mm. A number of special machines have been built for the automatic and semiautomatic welding of, for example, grids and frames measuring 2000 to 3800 mm and rods from 3 to 10 mm diameter. A series of machines type MCJ (MSL) has been developed for butt-welding strip of low-carbon and carbon steels, the outputs ranging from Card 2/4

 88312 5/110/60/000/006/002/007 E194/E455

Prospects of Producing Electric Welding Equipment at the "Elektrik" Works

200 to 800 kVA when welding strip up to 1000 mm wide and from 0.8 to 5 mm thick. Machines have also been developed for double seam-welding of strips of low-carbon steel up to 1000 mm wide and 0.2 to 1.0 mm thick. There is also a machine for butt-welding Other types are also mentioned. railroad rails. Seven-Year Plan, the "Elektrik" Works should double its production Older types of equipment will be replaced by of welding equipment. more modern types. A list is given of the types of machine that In addition, the Works will it is proposed to modernize first. develop new types of machines. Among the first will be multielectrode welding machines for production flow lines in the automobile and agricultural machinery industries, railway rolling stock construction and others. It is also proposed to develop single-phase machines with up to 500 mm throat for spot and seam welding of light alloys; also capacitor spot-welding machines for welding light alloys up to 2 mm thick. The tasks to be solved in the Seven-Year Plan are difficult ones and will require the help of Card 3/4

88312

S/110/60/000/006/002/007 E194/E455

Prospects of Producing Electric Welding Equipment at the "Elektrik" Works

Research Institutes, in the first place the All-Union Scientific Research Institute of Electric Welding Equipment. Considerable attention must be paid to the standardization of welding equipment. Standardized series of electric welding equipment must be developed and in this the Research Institutes should work in close collaboration with the manufacturers. It is necessary to organize centralized manufacture of electrodes for resistance—welding machines, to produce reliable all-metal ignitrons and other valve equipment, to develop small electro-magnetic contactors and to publicize work carried out on the design and manufacture of welding equipment.

SUBMITTED: February 8, 1960

Card 4/4

"APPROVED FOR RELEASE: 09/24/2001

CIA-RDP86-00513R000500020017-6

1 2310 65 375

14 00 0/193/61/000/005/003/005 ACO4/A104

AUTHORS:

Glebov, L. V., and Yershov, A. N.

TITLE:

The MC. (MSL) -500-4 and MSL-200 machines for the butt welding of

strip

PERIODICAL: Byulleten' tekhniko-ekonomicheskoy informatsii, no. 5, 1961, 22-26

TEXT: The new strip butt welding machines have been developed and built in 1960 by the Leningrad "Elektrik" Plant and are intended for operation in flow lines of rolling mills of metallurgical plants. Strip welding on the MSL-500-4 machine is effected automatically by the continuous flash welding method. Centering and clamping of the strip is carried out by the operator with the aid of control buttons. To facilitate the setting of the strip in the machine jaws the latter are fitted with a setting ruler. The flashing of the strip ends during the welding process is effected by an electromotor drive. Upsetting of the strip at the end of the welding process is taking place at great speed with the aid of a pneumatic-hydraulic device. The machine consists of a welded box-shaped casing on which all machine units are mounted. The welding transformer is placed within the casing. The clamping device of radial type with an exist of rotation which is

Card 1/5

21894 \$/193/61/000/005/003/006 A004/A104

The MCv1 (MSL) -500-4 and MSL-800 machines ...

perpendicular to the strip axis ensures the lower and upper jaws being parallel when clamping strip of different thickness or in the case of wear. The strip is clamped with the aid of a pneumatic-hydraulic device and unclamped by springs. The strip is set by centering devices which make it possible to effect a horizontal adjustment of the strip prior to welding. Moreover the machine is fitted with a mechanism for the lifting of the strip and its free passing over the current-carrying jaws and with a receiving table for the supply of strip being welded. The strip dimensions which can be welded on the machine are given in the table below.

4) Силавы	3) ширина	1) толинина
5/Медиме Бр ОФ 6,5-0,15; Бр ОЦС-4-4-4; Бр ОЦС-4-4-2,5 (6) Из углеродистых и легированных сталей У7А; У12А; ХО5; 65Г и др. , 7)Из малоуглеродистых сталей	90-350 90-350 90-550	i

Table:
1) alloys; 2) strips: 3) width; 4) thickness; 5) copper bronzes $50.6^{\frac{7}{4}}$

Card 2/5

0161. \$/193/61/000/005/003/006 A004/A104

The MCJ (MSL) -500-4 and MSL-800 machines ...

Бр ОЦС-4-4-4 (Br OTsS-4-4-4); Бр ОьС-4-4-2.5 6.5-0.15 (Br OF-6.5-0.15): (Br OTsS-4-4-2,5); 6) of carbon and alloyed steel grades Y7A (U7A); Y12A (U12A); XO5 (KhO5); 65F (65G) and others; 7) of low-carbon steels. The MSL-800 machine is intended for the automatic resistance welding by the contiruous flashing method of carbon steel strip 1.5-5 mm thick and 200-1,000 mm wide. A movable and a stationary clamping device are mounted on the bed devised for the dependable clamping of the strip ends being welded. The stationary slamping device is fixed directly to the bed while the movable one is able to traver along the bed on two rectangular guides whose ends are sliding in stationary tearings. The flashing and upsetting drive consists of a dec electromotor whose revolutions can be steplessly regulated and a reducer whose output shaft carries came. The revolving cams are pressing on the support rollers mounted on the movable clamping device imparting the latter the speed necessary during the flashing and upsetting process. The strip ends are clamped by traverses, preliminary clamping is effected with the aid of pneumatic cylinders. Since in the operation process the lower jaws are subjected to wear, special regulating wedges have been provided for to preserve the equal height of the lower jaws of the movable and stationary clamping devices. The welding transformer is placed in the bed and is connected to the lower jaws with the aid of flexible bars assembled from copper foil. The

Card 3/5


21894 \$/193/61/000/005/003/006 A004/A104


The MC/ (MSL) -500-4 and MSL-800 machines ...


machine has two centering devices to adjust the face ends of the strip being butt-welded in the horizontal plane. A wedge-shaped support mechanism encures the clearance between the strip-ends being welded. The technical specifications of the MSL-500-4 and MSL-800 machines are given in the table below.

Table:
1) indices; 2) models; 3) rated power, kva; 4) duration of switching on, £;
5) primary voltage, v; 6) secondary voltage, v; 7) primary rated current,
amp; 8) secondary short-circuit current on the rated stage (distance between
terminals 25 mm), amp; 9) number of regulation stages; 10) output, welds/h;
11) maximum upsetting force, tons; 12) maximum clamping force, tons; 13)
maximum distance between clamps, mm; 14) cooling water consumption, liter/h;
15) air consumption per weld, m³; 16) compressed air pressure, kg/cm²; 17)
overall dimensions, mm: a) length, b) width, c) height; 18) weight, tons.
There are 2 figures and 2 tables.

Card 4/5







ACCESSION NR: AP4039559

5/0135/64/000/005/0011/0012

AUTHORS: Glebov, L. V. (Candidate of technical sciences); Radashkovich, I. M. (Engineer)

TITLE: Electrical resistivity of machine details during seam welding

SOURCE: Svarochnoye proizvodstvo, no. 5, 1964, 11-12

TOPIC TAGS: steel welding, low carbon steel, machine detail, electric resistivity, shunting, welder MShP 150 lB

ABSTRACT: The relation of electrical resistivity to walding parameters in welding of machine details was studied experimentally at the plant "Elektrik" ("Electric") in order to expand the existing data. Experiments were performed with a MShP-150-Was calculated from the formula:

$$R_{\delta} = \frac{U_2}{I_2}$$
,

where $\rm U_2$ - drop in voltage at the detail welded, and $\rm I_2$ - welding current. Voltage

ACCESSION NR: AP4039559

was registered by the gliding contacts. The secondary current values were determined by multiplying the primary current value by the transformation coefficient. The study revealed that the nature of resistivity variation in the process of spot welding differed between the first and subsequent spots. This was especially well expressed in welding of tight seams, as described by A. S. Gel'man (Kontaktnaya elektrosvarka. Mashgiz, 19hh). At the second point the resistivity decreased but the nature of its variation remained the same. A still greater variation was observed at the third spot. The general nature of the resistivity variation could be established after the first four or five spots. The relation between the resistivity and stress at the rollers was studied for steel thickness 1 + 1 rm and 1.5 + 1.5 mm. The results showed that the ratio of the resistivity values obtained during spot and seam welding lay within the limits 1.8-2.2. This ratio increased with the increase in steel thickness. Different results were obtained in seam and spot welding after completion of the fifth point. The resistivity ratio (k = $R_{\rm seam}/R_{\rm spot}$) was 1.3 for steel thicknesses 1 + 1 mm, 1.51 for 1.5 + 1.5 mm, and 1.6 for 2 + 2 mm. In welding of thin details the effect of the shunting current was small, but it became significant in the welding of thick details and lawared considerably the quality of the product. Orig. art. has: 1 table and 6 figures.

Card 2/3


ACCESSION NR: AP4039559


ASSOCIATION: Leningradskiy zavod "Elektrik" (Leningrad Plant "Elektrik")


SUBMITTED: OO DATE ACQ: 14,Jun64 ENCL: CO

SUB CODE: MM NO REF SOV: COO OTHER: COS

Cord 3/3







N-1

13 1 1 1 1 1 1 1 1 1

Category : USGR / Plant Diseases. General Problems

Abs Jour: Ref Zhur - Biol., No 6, March 1957, No 22933


Author : Glebov, M.A.

Title : The economic Effectiveness of Plant Protection.

Orig Pub: Zashchita tast. ot vredit. 1 bolezneig, 1956, No 2, 11-12

Abstract : No abstract

Card : 1/1



GRIGOR'YEVA, T.G., starshiy nauchnyy sotrudnik; GLEBOV, M.A., starshiy nauchnyy sotrudnik; PERSIN, S.A., starshiy nauchnyy sotrudnik; PETRUKHA, O.I., starshiy nauchnyy sotrudnik; SLIVA, I.K.

Practices in effective control of the sugar beet waevil.
Zashch. rast. ot vred. i bol. 4 no.5:23-25 St-0 159. (MIRA 16:1)


1. Vsesoyuznyy institut zashchity rasteniy (for Grigor'yeva, Glebov, Persin). 2. Vsesoyuznyy nauchno-issledovatel'skiy institut sakharnoy svekly (for Petrukhat. 3. Glavnyy agronom inspektsii po sel'skiomu khozyaystvu Smelyanskogo rayona, Cherkasskoy oblasti (for Sliva).

(Smela District--Sugar beet:--Diseases and pests)
(Smela District--Weevils--Extermination)

GLEBOV, M.A., kand.sel'skokhoz.nauk; ROMANOV, P.P.; STEPINA, V.G.,
Uchenyy agronom

Profitableness in the protection of vegetable crops. Zashch.
rast.ot vred.i bol. 5 no.7:10-11 Jl '60. (MIRA 16:1)

1. Glavnyy agronom sovkhoza "Vyborgskiy", Leningradskoy obl.
(Vegetables—Diseases and pests) (Plants, Protection of)



GLEBOV, M.A., kand.sel'ekokhoz.nauk

Economics of plant protection. Zashch. rast. at wred. i bol. 3
no.1.6.9 Ja 703. (MIRA 16:5)

(Plants, Protection of -Economic aspects)

GLEBOV, M.A., zard, sellakokhoz, nedz, FLATCHOVA V.T., uchenyy agronom


Foonomic effectiveness of corn protection. Gashch. rast. ot vred. 1 bol. 8 no.4.13 Ap 163. (MTRA 16:10)

1. Vsesoyuznyy institut zaskchity rasteniy.
(Corn (Maize) - driseasca onc pesta)
(Spraying and dusting in agriculture)

GLEBOV, M.A., kand.sel'skekhoz.nauk

How to determine the economic affectiveness of Fiant Protection.
Zashch. rast. ot vred. i bol. 8 no.7130-32 51 163. (MIRA 16:9)

1. Vsesoyuznyy institut zashchity rasteniy.



VOYEVODIN, A.V. kand. realskikhoz. maak, KUDEL!, K.Ye., nearhnyy detrudnik; MUPAROVA, O.I., NIBYT, V.A., TAPASENKO, I.M., kand. biolog. nauk; SMELYANLTS, V.P., PALASKAS, D.N., KOROHATOV, V.A., starinzy nauchnyy sotrudnik, PORDUKOVA, M., KAIHAYEVA, V., semenoved, GLINKA, Ye., agronom; SHEVCHENKO, A.B., applrant, FOCHAFOV, K., GLIFOV, M.A., kand. ekonom. nauk

Results of herricide cesting. Lest n. root, it wief, i col. 9 no.7(23 x6 - 164. (MIFA 18)2)

- 1. Vsecoyuanyy institut pashunity rastenly (for Voyevodin).
 2. Ukrainskiy nauchnowissledovatel'skiy institut tashchity rastenly (for Kudel', Smelyanets).
 3. Nachal'nik Kiyevakoy oblastnoy atantal ashchity rastenly (for Murarova).
- 4. Zaveduyushihiy Mironcvskim punktom signalizatsiz (for Wibyt).
- 5. Nizhnedneprovskaya stantsiya obleseniya paskov i vinogradarstva na peskakh, TSuryupinsk, Khersonskoy oblesti (for Tarasenko). 6. Zaveduyushchiy Kokandskim nablyudatel'nym punktom, Perganskoy oblasti (for Palaskas). 7. Azertaydzhanskiy nautono isuledovatel'.
- skiy institut khlopkovedstva, Kirovabad ifor Korobatov).

 8. Zaveduyushchiy Moskovskoy kartofel'noy tekaikologicheskoy
 laboratoriyey (for Bordukova). 9. Sovkhor "Yoskresenskiy",
 Moskovskoy oblasti (for Kachayeva). 10. Moskovskaya
 hostofollogy tekaikologicheskaya jaboratoriya (for Monka).

kartofel'naya toksikologicheskaya laboratoriya (for Glinka).
11. Ukrainskiy institut rasteniyezodstva, selektsii i genetiki

imeni V.Ya. Yur'yeva (for Shevchenko). 12. Nachal'nik Kurskoy stantsii zashchity rasteniy (for bocharch).

GLEBOV, M.M., polkovnik, Geroy Sovetskogo Soyuza, voyennyy letchik pervogo

klassa

Notes about tatical skill of aerial recommaissance. Fart 1:

Maneuver. Vest.Vozd.Fl. no.5:13-18 %0. (MIRA 13:7)


(Aeronautics, Military--Observations)


GLEBOV. M.M., polkevnik, Geroy Sovetskog: Soyuza, veyennyy letchik pervogo klassa

Be able to orient yourself in the reconsissance area.

Vest.Vozd.Fl. no.6:19-23 Jul 160. (MERA 1):7)

(Aeronautica, Military-Observations)





Malkov, 1.1.; Glebov, N.A.

Determination of small amounts of serving in sizeral reastaterials using the method of grinding samples into powder. Nob. 10 PAN 1725 no.17:A3-45 163.

1. Primorskoye geologicheskoye upravleniye i althevoltochnyy geologicheskiy institut Palthevostochnogo Midala Sibirskego otdoleniya AN SSSR.

\$/582/62/000/008/006/013 D405/D301

AUTHOR: Glebov, N. I. (Kazan')

TITLE: Synthesis of operators

SOURCE: Problemy kibernetiki. no. 8. Moscow, 1962, 191-200

TEXT: The synthesis of operators over a memory () by means of other operators (of particular form) is considered. The definitions and notations are adopted from A. A. Lyapunov's paper (K algebraicheskoy traktove programmirovaniya, same source, pp. 235-241). The synthesis of operators from some initial operators and predicates is defined as the construction of a certain operator by means of operator multiplication and p-composition. The following concrete problems are considered: 1) Synthesis of (n,m)-operators from (n,1)-operators; 2) synthesis of (n,1)-operators from (m,1)-operators; 3) synthesis of (n,m)-operators from (1,1)-operators with the use of 1-predicates. Solutions of these problems are obtained in the form of theorems. Theorem 1: If the memory () = {x₁,..., x_n} consists of n cells which can be in a finite number of Card 1/2

Synthesis of operators

S/582/62/000/008/006/013 D405/D301

states, then any operator over the memory Ω can be constructed from (n,1)-operators. In the proof of this theorem the concepts of representable operator, extension of an operator, and transposition operator are used. Theorem 3 states that there exist (n,1)-operators which cannot be constructed from (m,1)-operators for m < n. Theorem 5: If the memory Ω consists of a cells which can be in a finite number of states, then any operator over the memory can be constructed from (1,1)-operators by means of 1-predicates. Theorem 8: For the synthesis of all (n,m)-operators over $\Omega \subset \Omega$ from (2,1)-operators over Ω it is necessary to have at least one working cell, and sufficient to have one working cell (k=1) which can be in two states (s=2).

SUBMITTED: December 20, 1960

Card 2/2

S/582/62/000/008/007/013 D405/D301

AUTHOR: Glebov, N. I. (Kazan')

TITLE: On the algebraic equivalence of subsets of a category.

SOURCE: Problemy kibernetiki. no. 8. Moscow, 1962, 201-209

TEXT: The representability of an element A of a category K by products of elements of a given set $\mathcal H$ is considered. This is related to the study of the subcategories of operators over the memory of a computer which is important for evaluating the feasibility of particular methods of programming. The concept of subcategory generated by the set $\mathcal H$ is defined (this subcategory is denoted by $k(\mathcal H)$). Two sets $\mathcal H_1$ and $\mathcal H_2$ are said to be equivalent if they generate the same subcategory. Thus the problem reduces to ascertaining the equivalence conditions of the arbitrary subsets $\mathcal H_1$ and $\mathcal H_2$ of the category K. Together with K, the operator category K is considered. Denoting by R the triple $(K_{\mathbf X}, \frac{\mathbf Y}{\mathbf X}, \mathbf G)$, $(\frac{\mathbf Y}{\mathbf X})$ is a subordination relation and $\mathbf G$ a homomorphism), one obtains the definition: The sets $\mathcal H_1$ and $\mathcal H_2$

On the algebraic ...

S/582/62/000/008/007/013 D405/D301

 \mathcal{M}_2 (of the category K) are said to be R-equivalent if $\mathcal{R}(\mathcal{M}_1)=\mathbb{R}(\mathcal{M}_2)$. In order that the sets \mathcal{M}_1 and \mathcal{M}_2 (of K), which do not contain unity elements, be equivalent, it is necessary that they be R-equivalent (the R-criterion of equivalence). Further, a partially ordered set \mathcal{M} (K) is defined, whose elements are classes of equivalent R-criteria. The sufficient R-criterion of equivalence is stated in the form of a theorem: The upper bound of the set \mathcal{M} (K) is the class of sufficient R-criteria of equivalence. An example is given illustrating the use of the R-criterion of equivalence: a class of operators \mathcal{M} is singled out from the operator dategory K and a criterion is found for the representability of an operator A (of K) by (2,2)-operators.

SUBMITTED: April 18, 1961

Card 2/2

5/526/62/144/503/567/63C B106/E102

LUTHUR: G

Glebov, N. I.

GINLE:

Representation of operators on a memory

Finitobload: Akademiya nauk SSSR. Boklady, v. 144, no. 5, 1902, 516-519

That: Representation of one operator on a memory in the form of the product of other operators is required in programming. A "memory" is a set if of cells. G is a set of elements termed cell states. The mapping fill \to C is called a memory state. Ξ = if is the set of all possible memory states. An operator on the memory of \Re (or on \Re) is the mapping A: $\Xi_1 \to \Xi_2$, where Ξ_1 and $\Xi_2 \subset \Xi$. If A: Ξ \to Ξ_2 and B: $\Xi_2 \to \Xi_3$, then the product of the operators A and B is called the operator C = AB: Ξ_1 , to be determined as C(f) = B(A(f)). A class of n cells, X^1, \ldots, X^n , the memory state f(X), and an arbitrary function $\psi(S_1, \ldots, S_n)$ of n states determine an n-function of special form: $\psi(X^1, \ldots, X^n) = \psi(f(X^1), \ldots, f(X^n))$. An n-function of special form is called an Card 1/2

Representation of operators ...

\$/020/52/144/003/007/030 B100/B102

(n,n)-operation if $\psi(g_1,\ldots,g_n):0^n:\longrightarrow 0^n$, i.e., $\psi(x^1,\ldots,x^n/f(x))=(\overline{g}_1,\ldots,\overline{g}_n)$. An ordered assembly of a different cells ψ^1,\ldots,ψ^m and (n,m)-operations determine an (n,m)-operator of special form

 $\lambda(f(x)) = f_1(x) = \begin{cases} \tilde{g}_1, & \text{if } x = y^1 \\ f(x), & \text{if } x \neq y^1, & \text{i} = 1, \dots, m. \end{cases}$

The following theorems are demonstrated: (1) May (n,m)-operator on Ω can be represented in the form of a product of (n,1)-operators on Ω . (2) If m < n, there are (n,1)-operators on Ω that cannot be represented in the form of a product of (m,1)-operators on Ω . Other criteria are deduced for more complex cases.


PRESENCED:


January 8, 1962, by A. I. Berg, Academician

SUBMITTED:

November 26, 1961

Card 2/2





L 22588-65 EWT(d)/T/ Ph-4 IJP(o)

ACCUSSION NR: AP5004994

5/0199/14/00 /004/07/8/0782

AUTHOR: Glebov, N. I.

4

TITIE: Sets of values of certain vector functions, dependent on mys ens of sets

SOURCE: Sibirskiy matematicheskiy shurmal, v. 5, no. 4, 1964, 770-762

TOPIC TAGS: vector, set theory, function theory

Abstract: Various authors have considered the sats of values of vertor functions which are dependent on systems of sets and name by additive functions generated in some way. This problem may be approached in the general case by a consideration of the set of values of the vector function

$$\Phi(E_1, E_2, \dots, E_r) = \sum_{i=1}^r \Phi_i(E_i), \qquad (1)$$

where Co.(E) are bounded, completely additive vector functions defined on sets of some of-algebra and assuming values in an a-dimensional Euclidean space Rn; the sets E, are mutually exclusive. It was been shown that the set P of values of this vector function is clusted; and if

Gard 1/2

L 22588-65

ACC:SSION NR: AP5004994


the functions \$\Phi_{\text{(E)}}\$ contain no discontinuities, it is convex. The characteristic properties of the sets of values of this vector function for k = 1 vere studied by K.I. Chuykina, fe W Clivenko, V.A. Zalgoller, and Yu.O. Reshetnyak. This paper is the generalisation of the results of these authors for k > 1. It is assumed that the functions \$\Phi_{\text{(E)}}\$ are completely continuous. Orig. art. has 5 formulas.

ASSOCIATIONS none

SUBMITTED: 27Jul63 ENGL: CO SUB CODE: MA.

NO REF SOV: 005 OTHERS OOS JPHS

Gard 2/2



USSR/Diseases of Farm Animals - Diseases Gaused by Bacteria and Fungi

R

Abs Jour

: Ref Zhur Biol., No 5, 1959, 21416

Author

: Glebov, N.Kh.

Inst

: Kazan Veterinary Institute

Title

: Immunization of Guinea Pigs with a Formal-Aluminum

Vaccine in Necrobacillosis Infections.

Orig Pub

: Uch. zap. Kazansk. vet. in-ta, 1957, 65, 195-201

Abstract

: The contradictions in literary data pertaining to the possibility ofta specific prophylaxis of necrobacillosis prompted the author to conduct a series of tests on active immunization. The vaccine was prepared according to the following formula: 0.4 percent of formalin were added to a pure culture of Bacterium necrophorus; after it was kept for 50 hours at a temperature of 370 C, a

Card 1/3

USSR/Diseases of Farm Animals - Diseases Caused by Bacteria

R

Abs Jour

: Ref Zhur Biol., No 5, 1959, 21416

percent solution of aluminum alum was added in a propertion of 10 ml per 100 ml of vaccine, and then vaccine was checked for its sterility and harmlessness. Prelimimary experiments with guinea pigs showed that the subcutaneously administered immunizing (twice with a 7-day interval) dose of the vaccine amounts to 1.5 ml. In the basis experiment 13 guinea pigs were used (3 of them were controls) which were intraperitoneally injected with a 1.5 al dose of the virus 15 days after the second vaccination. All control animals perished on the 8th-9th day. while 2 out of 10 vaccinated animals perished on the 14th-15th day and the remaining 8 (80 percent) which were kept under observation for 60 days, stayed alive. Autopsy revealed fibrinous peritonitis in all of the perished guinea pigs, as well as foci of necrosis in the liver and heart (in some of them in the lungs also), form which a pure

Card 2/3

- 23 -

UBSR/Virology - Bacterial Viruses(Fhages).

B-2

Abs Jour : Ref Zhur - Biol., No 15, 1958, 66926

Luthor

: Glebov, H.Kh.

Inst

: Kozansk, vet. in-ut.

Title : Problems of Bacteriophage in Mccrotic Bacterial Infection.

Orig Pub : Uch. zap. Kezansk. vet. in-ta, 1957, 65, 203-209

Abstract : No abstract.

Card 1/1

USSR/Virology - Bacterial Viruses (Phages).

E-2

Abs Jour : Ref Zhur - biol., Wo 15, 1958, 66927

Author

: Glebov, N.Kh.

Inst

Suggress - John : Kazansk. vet. in-ut.

Title


: Problems on the Application of Mecrotic Bacterial


Bacteriophage.


Orig Pub : Uch. Zap Kazansk, vet. in-ta, 1957, 65, 211-218

Abstract : No abstract.

Card 1./1







DASHKEVICH, L.L.; SURAZHSKIY, D.Yo.; USOL'ISEV, V.A.; AZEEL', M.Ye.;

EOZHEVIKOV, S.N.; VORZHENEVSKIY, R.S.; MARTYROV, K.N.;

GLAZOVA, Ye.F.; KARPUSHA, V.Ye.; FROIOFOFCV, R.G.; SHALLIMA,

Ye.M.; IGRUNCV, V.D.; NECHAYEV, I.M.; BESFALOV, D.F.;

ILLARIONOV, V.I.; GLEBOV, F.A.; GLAZOVA, Ye.F.; KAULIN, N.Ya.;

GORYSHIH, V.I.; GAVRILOV, V.A.; TIMOFEYEV, M.P., retsenzent;

YEFRENYCHEV, V.I., retsenzent; KRASGVSKIY, V.B., retsenzent;


V'YUNNIK, A.P., retsenzent; SIELGIZAT, M.S., otv. red.;

RUSIK, N.P., otv. red.; YASNOGORODSKAYA, M.M., red.; VOLKOV,

N.V., tekhn. red.

[Instructions to hydrometeorological stations and posts] Nastavlenie gidrometeorologicheskim stantsilam i postam. Leningrad, Gidrometeoroizdat. No.3. Pt.3. [Meteorological instruments and observation methods used on a hydrometeorological network] Meteorologicheskie pribory i metody nabliudenii, primeniaemye na gidrometeorologicheskoi seti. 1962. 295 p. (MIMA 15:5)

(Continued on next card)




POPCHENKO, Sergey Nikolayevich, kand. tekhm.nauk; STARITSKIY, Mikhmil
Grigor'yevich, kand. tekhm. mauk; GLEBNY, P.D., doktor tekhm.
nauk, prof., red.; ZHEPROVSKIY, A.N., red.; SOBOLEVA, Ye.M., tekha.red.

[Asphalt waterproofing of concrete and reinforced concrete
structures]Asfal'tovye gidroizoliatsii betonnykh i zhelezobetonnykh sooruzhenii. Pod red. P.D.Glebova. Moskva, Gosenergoizdat, 1962. 250 p.

(Waterproofing)

(Asphalt)



GLEBOV, P.D., prof., doktor tekhn.nauk; POPCHENKO, S.M., Fand.: ekhn.nauk

Impregnation of chalk with organic binders. Izv. VNIIG 49:
114-136 '55. (HEA 12:5)

(Chalk) (Hydraulic engineering)

- 1. GLEBOV, P. D.
- 2. USSR (600)
- 4. Irrigation
- 7. Stalin's plan for the transformation of nature in action, Tekh. molod., no. 4, 1953.

9. Monthly List of Russian Accessions, Library of Congress, April 1953, Uncl.

USSR/Chemical Technology Chemical Products and Their Application -- Silicates. Glass. Ceramics. Binders, I-9

Abst Journal: Referat Zhur - Khimiya, No 2, 1957, 5344

Author: Glebov, P. D., Popchenko, S. N.

Institution: None

time in a single

Title: Filling of Joints in Hydraulic Works Structures with a Cold Asphalt

Cement

Original

Publication: Gidrotekhn. str-vo, 1956, No 6, 18-22

Abstract: Description of the properties, production technology and use of cold

asphalt cements made with bitumen emulsion pastes, which are proposed for filling joints in hydraulic works structures, in lieu of the presently utilized hydroinsulating materials, asphalt plates,

etc.

Card 1/1

LOGINOV, P.G.; BASHVICH, A.Z.; EELOV, A.V.; VOZNESHNSKIY, A.N.; GLEBOV, P.D.;
KACHAHOVSKIY, B.D.; KRAVTSOV, V.I.; LEVI, I.I.; HCROZOV, A.A.; HOSOV,
R.P.; OKCROKOV, S.D.; FROSKURTAKOV, B.V.; STARCETIN, S.M.; URAZOV, A.A.;
CHERTOUSOV, M.D.; CHUGAYEV, R.R.; SHCHAVEHEV, D.S.; YAGH, Yu.I.

V.S. Baumgart.; obituary, Gidr. stroi. 25 no.5:58 Je 156. (MIRA 9:9)
(Baumgart, Vicilmir Sergesvich, d.-1956)



14(9)

SOV/112-59-3-4674

Translation from: Referativnyy zhurnal. Elektrotekhnika, 1959, Nr 3, p 54 (USSR)

AUTHOR: Glebov, P. D.

TITLE: Calculation of Seepage-Water Inflow to Drains Situated on Sloping Impervious Rock (Raschet pritoka infil'tratsionnoy vody k drenam, raspolozhennym na naklonnom vodoupore)

PERIODICAL: Nauchno-tekhn. inform. byul. Leningr. politekhn. in-t. 1958, Nr 1-2, pp 72-75

ABSTRACT: Bibliographic entry.

Card 1/1

207-20-19-2-19/21 Globar 1 h, refessor, hurman of the Anniversary Con-AUTHORG: miseron and Professors Lava I In Yaga, Yadi , Caugayev, LR : Docents: Starostin, S.M., Kachanovskiy, B.D ; and Pogernia V I The firm Annaberrary of the Hydrauli Engineers. Doperment of TITLE. the Lengeral Polyteon incl Institute ident R E . . . win (50-latiye gribesteknes theakegr fikulteta Leaungridskigo polito didd kogo instituta imeni M I Relimina) drintemarch.chogo atroitel sivo, 1950. Nr 3, pp 62-63 (USSR) PERICPICAL . The proof of the probabilishment and purpose of the Depth for a fractic Engineering, pointing out that the ABSTRACT (department had at present & laboratories, with a branch for mercurative soil science. The erection of 2 new laboratories legan this year - Eydranlıc Engineering Construction and Utilization of Uniter Power. The authors name 24 scientists and enganeers who were working at the faculty before the revolution and mention textbooks composed by N.M. Paulcyskiy, M.D. Chartensey, a A. Merozov, G.K. Rimenkampf, P.D. Gleber, V A Rind, B b Skorokov, J.J Dittsand M M Bulyayev. Euring the 50 years of it, existen a the faculty has turned Card 1/3

007-31-50-1-15/21

The 50th Anniversary of the Hydraulic Engineering Faculty of the Leningrad Polytechnical Institute that I L Ealinin

out over i per engineers. Coveral important schentific trends have at arter of this institute. There is the concel of Maximus and N.N. Pavlovskiy, with great a nievements in the field of systrial as and dan a matriotten, the school of Academician by Malerian, who his lone remarkable work in three-limen is nal problems of the theory of flexibility, etc; Inofessor G.B. Mislov has greatly leveloped the theory of temperature sensions in solid concrete and reinforced concrete structures; the school of Academician G.F. Perederly, one of the most famous Joweet bridge builders, who has created now methods of computing and constructing bridges; the school of the Hoacred Worker in science and angineering. A A. Morozov has had a great influence on the development of hydroelectric power places. The authors also point out considerable experimental and research work performed by the

Card 2/3

The 50th Anniversary of the Hydraulic Engineering Faculty of the Leningrai Polytochnical Institute inent M.T. halinin
faculty in connection with the building of several hydroelectric power plants.

1. Water power--USSR 2. Soils--USSR 3. Engineering personnel --USSR
Card 3/3



~ 7-98-58-10-4/16 AUTHORS: Hebay - 1-16, boctor of Technical Meiences, Professor, Honored Scientist and Jechnician RSFSR; Jokrovskiy, N.S., Candidate of Technical Ociences Taterials for the Cateroroofing of Prefabricated Concrete TITLE: Structures by Empregnation (Naterially dlya propitechnoy gidroizolyatsii elementov shornykh zhelezobetonnykh konstruktsiy) PERIODICAL: Gidrotekhnicheskoye stroitel'stvo, 1958, Wr 10, pp 17-20 ABSTRACT: The authors present a study on materials for impregnation of hydraulic engineering concrete structures. Frefabricated reinforced concrete structures are especially considered. The results of these studies are given in graph form. Synthatic materials such as styrolmonomer and metacrylate were proposed as insulating agents, but they were too expensive, toxic and inflammable. Fitumens BH-HT and FN-TV were tested as sosking-impressation materials. They proved to te incuitable because of their high viscosity. The BN-II. PN-I and BN-O bitumens, as well as raraffin, oxokerite and petrolatum are sugmested for future tests. Petrolatum is Card 1/2

Materials for the Waterproofing of Preferencested Concrete Structures by Impregnation

recommended as the most unliable material for impregnation of concrete. There are a graphs, I table and II references, 7 of which are Covert, f American end I German.


1. Reinforced concrete.—Insulation 2 Waterproof coatings ...Materials 1. Methanes.—Applications


Card 2/2

GLZBOV, Petr Dmitrivevich; IL'YASHEV, Grigoriy Mikhaylovich; POPCHENEO,
Sergoy Nikolayevich; GIRSHKNI, I.A., red.

[Yorming impervious curtains by injecting biruminous emulsions]
Ustroistvo protivofil'tratsionnykh zaves nagnetaniem bitumnykh
emul'sii. Moskva, Gos.energ.izd-vo, 1959. 44 p. (MIRA 13:3)

(Bituminous materials) (Soil percolation)





"APPROVED FOR RELEASE: 09/24/2001 CIA

CIA-RDP86-00513R000500020017-6

GLE ANDON'YEV, V.L.; BAUM, V.A.; BAUMGARTMI, N.K.; BEREZIN, V.D.; BIRTUKOV, I.K.; BIRYUKOV, S.M.; BLOKHIN, S.I.; BOROVOY, G.A.; BULLEV, M.Z.; BURAKOV, N.A.; VERTSAYZER, B.A.; VOVK, G.H.; VORMAN, B.A.; VOSHCHININ, A.P.; GALAKTIONOV, V.D., kand. tekhn. nauk; GENKIN, Te.M.; GIL'DENBLAT. Ya.D., kand. tekhn. nauk; GINZBURG, M.H.; GLEBOW. P.S.; GODES, E.G.; GORBACHEV, V.N.; GRZHIB, B.V.; GREKULOV, L.T., kand. s.-kh. nauk; GRODZENSKAYA, I.Ya.; DANILOV, A.G.; DMITRIYEV, I.G.; DMITRIYENKO, Yu.D.; DOBROKHOTOV, D.D.; DUBININ, L.G.; DUNDUKOV, M.D.; ZHOLIK. A.P.; ZERKEVICH, D.K.; ZIMAREV, Ye.V.; ZIMASKOV, S.V.; ZUBRIK, K.M.; KARANOV, I.F.; KNYAZEV, S.N.; KOLEGAYEV, N.M.; KOMAREVSKIY, V.T.; KOSKRKO, V.P.; KORENISTOV, D.V.; KOSTROV, I.N.; KOTLYARSKIY, D.M.; KRIVSKIY, M.N.; KUZNWISOV, A.Ya.; LAGAR'KOV, N.I.; LGALOV, V.G.; LIKHACHEV, V.P.; LOGUNOV, P.I.; MATSKEVICH, K.F.; MEL'NICHENKO, K.I.: MENDELEVICH, I.R.; MIKHAYLOV, A.V., kand, tekhn, neak; MUSIYEVA, R.N.; NATANSON, A.V.; NIKITIN, M.V.; OVES, I.S.; OGUL'NIX, G.R.; OSIPOV, A.D.; OSMER, N.A.; PETROV, V.I.; PHRYSHKIN, G.A., prof.; P'YANKOVA, Ye.V.; RAPOPORT, Ya.D.; KHMEZOV, H.P.; ROZANOV, M.P., kand. biol. nauk; ROCHEGOV, A.G.; HUBINGHIK, A.M.; RYBCHEVSKIY, V.S.; SADCHIKOV, A.V.; SEMERITSOV, V.A.; SIDERKO, P.M.; SINYAVSKAYA, V.T.; SITAROVA, M.N.; SOSNOVIKOV, K.S.; STAVITSKIY, Ye.A.; STOLYAROV, B.P. [deceased]; SUDZILOVSKIY, A.O.; SYRTSOVA, Ye.D., kand. tekhn. nauk; FILIFPSKIY, V.P.; KHALTURIN, A.D.; TSISHEVSKIY, P.M.; CHERKASOV, M.I.; CHERNYSHEV, A.A.; CHUSOVITIN, N.A.; SHESTOPAL, A.O.; SHEKHTER, P.A.; SHISHKO, G.A.; SHCHERBINA, I.N.: ENGEL', F.F.: YAKOBSON, A.G.: YAKUBOV, P.A., ARKHANGEL'SKIY, (Continued on next card)

ANDON'YHV. V.L... (continued) Card 2. Yo.A., retsenzent, red.; AKHUTIN, A.M., retsenzent, red.; BAIASHOV, Yu.S., retsenzent, red.; BARABANOV, V.A., retsenzent, red.; BATUHER, P.D., retuenzent, red.; BORODIN, P.V., kand. tekhn. nauk, retsenzent, red .: VALUTSKIY, I.I., kand, tekhn, nauk, retsenzent, red .; GRIGOR'YEV, V.M., kand. tekhn. nauk, retsenzent, red.; GUBIN, M.F., retsenzent, red.; GUDAYEV, I.N., retsenzent, red.; YARMOLOV, A.I., kand, tekhn, nank, retsenzent, red.; KARAULOV, B.F., retsenzent, red .; KRITSKIY, S.N., doktor tekhn. nauk, rotsensent, red .; LIKIN, V.V., retsenzent, red.; LUKIN, V.T., retsenzent, red.; LUSKIN, Z.D., retsenzent, red.; MATRIROSOV, A.Kh., retuenzent, red.; MENDELEYEV, D.M., retsenzent, red.; MERKEL', M.F., doktor tekha. nauk, retsenzent, red.; CBREZKOV, S.S., retsenzent, red.; PETRASHENI, P.N., retsenzent, red.; POLYAKOV, L.M., retsenzent, red.; RUMYANTSHV, A.M., retsenzent. red.; RYABCHIKOV, Ye.I., retsenzent, red.; STASHMKOV, N.G., retsenzent, red.; TAKANAYEV, P.F., retsenzent, red.; TARANOVSKIY, S.V., prof., doktor tekhn. nauk, retsenzent, red.; TIZDEL!, R.R., retsenzent, red.; FKIXOROV, Ye.M., retsenzent, red.; SHRWTAKOV, M.N., retsenzent, red.; SHMAKOV, M.I., retsenzent, red.; ZHUK, S. Ya. [deceased], akademik, glavnyy red.; RUSSO, G.A., kand. tekhn. nauk, red.; FILIMONOV, N.A., red.; VOLKOV, L.N., red.; GRISHIN, M.M., red.; ZHURIN, V.D., prof., doktor teldin, nauk, red.; KCSTROV, I.N., red.; LIKHACHEV, V.P., red.; MEDVEDEV, V.M., kand. tekhn. nauk, red.; MIKHAYLOV, A.V., kand. tekhr. nauk, red.; FETROV, G.D., red.; RAZIN, N.V., red.; SOBOLEV, V.P., red.; FERINGER, B.P., red.; FREYGOFER, (Continued on next card)

ANDON'YMY, V.L... (continued) Card 3.
Ye.F., red.; TSYPLAKOV, V.D. [deceased], red.; KOMABLINOV, P.N.,
tekhn. red.; GKNKIN, Ye.M., tekhn. red.; KACHMHOYSKIY, N.V., tekhn.
red.

[Volga-Don; technical account of the construction of the V.I. Ienin Volga-Don Navigation Ganal, the TSimlyansk Hydroelectric Center, and irrigation systems] Volgo-Don; tekhnicheskii otchet o stroitel—stve Volgo-Donskego sudokhodongo kanala imeni V.I. Ienina, TSimlianskogo gidrouzla i orositel nykh sooruzhenii, 1949-1952; v piati tomakh. Moskva, Gos. energ. izd-vc. Vol.1. [General structural descriptions] Obshchee opisanie sooruzhenii, Glav. red. S.IA. Zhuk. Red. toma M.M. Grishin. 1957. 319 p. Vol.2. [Organization of construction. Specialized operations in hydraulic engineering] Organizatsiia stroitel stva. Spetsial nye gidrotekhnicheskie raboty.

(Centinued on next care)

ANDON'YEV, V.L.... (continued) Card 4,
Glav. red. S.IA. Zhuk. Red. town I.N. Kostrov. 1958, 319 p.

(RIRA 11:9)

1. Russia (1923- U.S.S.R.) Ministerstvo elektrostantsii. Byuro tekhnicheskogo otcheta o stroitel'stve Volgo-Dona, 2. Chlen-korrespondent Akademii nauk SSSR (for Akhutin). 3. Daystvitel'nyy chlen Akademii stroitel'stva i arkhitektury SSSR (for Grishin, Razin).

(Volga Don Canal--Hydraulic engineering)